# Shell Thermia Oil B

Version 1.1		Revision Date 2024.07.12	Print Date 2024.11.04		
1. PRODUCT AND COMPANY IDENTIFICATION					
Chemical product name	:	Shell Thermia Oil B			
Product code	:	001A0671			
CAS-No.	:	64742-65-0			
<b>Manufacturer or supplier's o</b> Supplier's company name, address and phone number Telephone	deta :	ails Shell Lubricants Japan K.K. Pacific Century Place Marunouchi 12F 1-11-1, Marunouchi Chiyoda-ku Tokyo 100-6212 Japan (+81) 03-3218-1780			
Telefax	:	(+81) 03-3218-1781			
Emergency telephone number	:	[Important notice for customer support] If you need support for product, please service centre. Lub Customer Service Centre (Lub CS Tel. 0120-064-315 / Fax. 0120-264-31 E-mail. Inquiries-Lubes-JP@shell.com (Available for Japanese office hours or	contact our customer C) 5 (JP Toll free)		
Contact for Safety Data Sheet	:	If you have any enquiries about the c please email lubricantSDS@shell.com			
Recommended use of the cl	hen	nical and restrictions on use			
Recommended use	:	Heat transfer oil.			
Restrictions on use	:	This substance may not be used for an recommended without expert advice	y purpose other than		

### 2. HAZARDS IDENTIFICATION

GHS classification of chemical product
Based on available data this substance / mixture does not meet the classification criteria.

GHS label elements	
Hazard pictograms	: No Hazard Symbol required
Signal word	: No signal word
Hazard statements	: PHYSICAL HAZARDS: Not classified as a physical hazard under GHS criteria.

# **Shell Thermia Oil B**

Version 1.1	Revision Date 2024.07.12	Print Date 2024.11.04	
	HEALTH HAZARDS: Not classified as a health hazard under GHS criteria. ENVIRONMENTAL HAZARDS: Not classified as an environmental hazard under GHS criteri		
Precautionary statements	: <b>Prevention:</b> No precautionary phrases.		
	<b>Response:</b> No precautionary phrases.		
	<b>Storage:</b> No precautionary phrases.		
	<b>Disposal:</b> No precautionary phrases.		

### Other hazards which do not result in classification

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.Used oil may contain harmful impurities.Not classified as flammable but will burn.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Substance
Chemical nature	:	Highly refined mineral oil. The highly refined mineral oil contains <3% (w/w) DMSO- extract, according to IP346. Classification based on DMSO extract content < 3% (Regulation (EC) 1272/2008, Annex VI, Part 3, Note L).

### Hazardous components

Contains no hazardous ingredients according to GHS

: No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.
<ul> <li>Remove contaminated clothing. Flush exposed area with water and follow by washing with soap if available.</li> <li>If persistent irritation occurs, obtain medical attention.</li> </ul>
: Flush eye with copious quantities of water.

# Shell Thermia Oil B

Version 1.1	Revision Date 2024.07.12 Print Date 2024.11.04	
	Remove contact lenses, if present and easy to do. Continue rinsing. If persistent irritation occurs, obtain medical attention.	
If swallowed	: In general no treatment is necessary unless large quantities are swallowed, however, get medical advice.	
Most important symptoms and effects, both acute and delayed	<ul> <li>Oil acne/folliculitis signs and symptoms may include formation of black pustules and spots on the skin of exposed areas. Ingestion may result in nausea, vomiting and/or diarrhoea.</li> </ul>	
Protection of first-aiders	: When administering first aid, ensure that you are wearing the appropriate personal protective equipment according to the incident, injury and surroundings.	
Notes to physician	: Treat symptomatically.	
5. FIRE-FIGHTING MEASURES		
Suitable extinguishing media	: Foam, water spray or fog. Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.	
Unsuitable extinguishing media	: Do not use water in a jet.	
Specific hazards during firefighting	<ul> <li>Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke).</li> <li>Carbon monoxide may be evolved if incomplete combustion occurs.</li> <li>Unidentified organic and inorganic compounds.</li> </ul>	
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
Special protective equipment for firefighters	: Proper protective equipment including chemical resistant gloves are to be worn; chemical resistant suit is indicated if large contact with spilled product is expected. Self-Contained Breathing Apparatus must be worn when approaching a fire in a confined space. Select fire fighter's clothing approved to relevant Standards (e.g. Europe: EN469).	

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Avoid contact with skin and eyes.
Environmental precautions	: Use appropriate containment to avoid environmental contamination. Prevent from spreading or entering drains,

# Shell Thermia Oil B

Version 1.1	Revision Date 2024.07.12	Print Date 2024.11.04
	ditches or rivers by using sand, earth, or other appropriate barriers.	
	Local authorities should be advise cannot be contained.	ed if significant spillages
Methods and materials for containment and cleaning up	: Slippery when spilt. Avoid accide Prevent from spreading by makin or other containment material. Reclaim liquid directly or in an ab Soak up residue with an absorbe suitable material and dispose of p	ng a barrier with sand, earth psorbent. nt such as clay, sand or other
Additional advice	: For guidance on selection of pers see Section 8 of this Safety Data For guidance on disposal of spille this Safety Data Sheet.	Sheet.

### 7. HANDLING AND STORAGE

Handling		
Technical measures	:	Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols. Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this material.
Advice on safe handling	:	Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists. When handling product in drums, safety footwear should be worn and proper handling equipment should be used. Properly dispose of any contaminated rags or cleaning materials in order to prevent fires.
Facial protective equipment	:	If material is handled such that it could be splashed into eyes, protective eyewear is recommended.
Describe contact avoidance, etc	:	Strong oxidising agents.
Product Transfer	:	Proper grounding and bonding procedures should be used during all bulk transfer operations to avoid static accumulation.
Storage		
Other data	:	Keep container tightly closed and in a cool, well-ventilated place. Use properly labeled and closable containers.
		Store at ambient temperature.

# Shell Thermia Oil B

Version 1.1	Revision Date 2024.07.12	Print Date 2024.11.04
Packaging material	: Suitable material: For containers o steel or high density polyethylene. Unsuitable material: PVC.	r container linings, use mild
Container Advice	: Polyethylene containers should no temperatures because of possible	

### 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

# Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Value type	Control	Basis		
		(Form of	parameters /			
		exposure)	Permissible			
			concentration			
Oil mist, mineral	Not Assigned			JP OEL		
				JSOH		
	Further informa	ation: Group 1: c	arcinogenic to huma	ns		
Oil mist, mineral	Not Assigned	OEL-M (Mist)	3 mg/m3	JP OEL		
			-	JSOH		
	Further informa	Further information: Substance whose OEL is set based on non-				
	carcinogenic health effects. See III, Group 1: carcinogenic to					
	humans					
Oil mist, mineral	Not Assigned	TWA (Mist)	5 mg/m3	OSHA Z-1		
Oil mist, mineral	Not Assigned	TWA	5 mg/m3	ACGIH		
		(Inhalable	-			
		particulate				
		matter)				

### **Biological occupational exposure limits**

No biological limit allocated.

### Monitoring Methods

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate.

Validated exposure measurement methods should be applied by a competent person and samples analysed by an accredited laboratory.

Examples of sources of recommended exposure measurement methods are given below or contact the supplier. Further national methods may be available.

National Institute of Occupational Safety and Health (NIOSH), USA: Manual of Analytical Methods http://www.cdc.gov/niosh/

Occupational Safety and Health Administration (OSHA), USA: Sampling and Analytical Methods http://www.osha.gov/

Health and Safety Executive (HSE), UK: Methods for the Determination of Hazardous Substances http://www.hse.gov.uk/

Institut für Arbeitsschutz Deutschen Gesetzlichen Unfallversicherung (IFA), Germany http://www.dguv.de/inhalt/index.jsp

L'Institut National de Recherche et de Securité, (INRS), France http://www.inrs.fr/accueil

# Shell Thermia Oil B

Version 1.1	Revision Date 2024.07.12	Print Date 2024.11.04
労働者の健康障害を防止する	こめ化学物質の濃度基準値とその適用方法な	ょどを定めました (mhlw.go.jp)
Engineering measures	<ul> <li>The level of protection and types of vary depending upon potential exp controls based on a risk assessme Appropriate measures include: Adequate ventilation to control airl</li> <li>Where material is heated, sprayed greater potential for airborne conc</li> <li>General Information: Define procedures for safe handlir controls.</li> <li>Educate and train workers in the h measures relevant to normal activ product.</li> <li>Ensure appropriate selection, testiequipment used to control exposu equipment, local exhaust ventilation</li> </ul>	bosure conditions. Select ent of local circumstances. borne concentrations. d or mist formed, there is centrations to be generated. Ing and maintenance of mazards and control ities associated with this ing and maintenance of re, e.g. personal protective on.
	maintenance. Retain drain downs in sealed stora subsequent recycle. Always observe good personal hy washing hands after handling the drinking, and/or smoking. Routine protective equipment to remove co contaminated clothing and footwea Practice good housekeeping.	age pending disposal or giene measures, such as material and before eating, ely wash work clothing and pontaminants. Discard

### Personal protective equipment

### **Protective measures**

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

Respiratory protection :	No respiratory protection is ordinarily required under normal conditions of use. In accordance with good industrial hygiene practices, precautions should be taken to avoid breathing of material. If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, select respiratory protection equipment suitable for the specific conditions of use and meeting relevant legislation. Check with respiratory protective equipment suppliers. Where air-filtering respirators are suitable, select an appropriate combination of mask and filter. Select a filter suitable for the combination of organic gases and vapours and particles [Type A/Type P boiling point >65°C (149°F)].
--------------------------	--

# Shell Thermia Oil B

Version 1.1	Revision Date 2024.07.12	Print Date 2024.11.04
Hand protection		
Remarks	gloves approved to relevant US: F739) made from the for suitable chemical protection gloves Suitability and durab usage, e.g. frequency and d resistance of glove material, from glove suppliers. Contai replaced. Personal hygiene care. Gloves must only be w gloves, hands should be wa	is a key element of effective hand vorn on clean hands. After using
	for > 480 minutes where sui short-term/splash protection recognize that suitable glove may not be available and in time maybe acceptable so le and replacement regimes an a good predictor of glove res dependent on the exact com	than 240 minutes with preference itable gloves can be identified. For a we recommend the same but es offering this level of protection this case a lower breakthrough ong as appropriate maintenance re followed. Glove thickness is not sistance to a chemical as it is nposition of the glove material. ypically greater than 0.35 mm
Eye and face protection	: If material is handled such the protective eyewear is recom	hat it could be splashed into eyes, mended.
Skin and body protection	: Skin protection is not ordina work clothes. It is good practice to wear cl	
Thermal hazards	: Not applicable	
Environmental exposure c	ontrols	
General advice	: Take appropriate measures relevant environmental prote	

contamination of the environment by following advice given in Section 6. If necessary, prevent undissolved material from being discharged to waste water. Waste water should be treated in a municipal or industrial waste water treatment plant before discharge to surface water. Local guidelines on emission limits for volatile substances must be observed for the discharge of exhaust air containing vapour.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Colour	: amber	
Physical state	: Liquid at room temperature.	

# Shell Thermia Oil B

Sion 1.1	Revision Date 2024.07.12	Print Date 2024.1
Odour	: Data not available	
Odour Threshold	: Data not available	
рН	: Not applicable	
pour point	: -18 °C / -0.40 °F Method: ISO 3016	
Melting / freezing point	Data not available	
Boiling point, initial boiling point and boiling range	: > 280 °C / 536 °Festimated value(	s)
Flash point	: 220 °C / 428 °F Method: ISO 2719	
Evaporation rate	: Data not available	
Flammability		
Flammability (solid, gas)	: Not applicable	
Flammability (liquids)	: Not classified as flammable but wi	ll burn.
Lower explosion limit and upp	per explosion limit / flammability limit	
Upper explosion limit	: Typical 10 %(V)	
Lower explosion limit	: Typical 1 %(V)	
Vapour pressure	: < 0.5 Pa (20 °C / 68 °F) estimated value(s)	
Relative vapour density	: >5	
Density and / or relative dens	ity	
Relative density	: 0.868 (15 °C / 59 °F)	
Density	: 868 kg/m3 (15.0 °C / 59.0 °F) Method: ASTM D1298	
Solubility(ies)		
Water solubility	: negligible	
Solubility in other solvents	: Data not available	
Partition coefficient: n- octanol/water	: log Pow: > 6 (based on information on similar p	roducts)
	· •	•

# Shell Thermia Oil B

Version 1.1	Revision Date 2024.07.12	Print Date 2024.11.04
Decomposition temperature	: Data not available	
Viscosity		
Viscosity (Dynamic)	: Data not available	
Viscosity, kinematic	: 25 mm2/s (40.0 °C / 104.0 °F) Method: ASTM D445	
	4.65 mm2/s (100 °C / 212 °F) Method: ASTM D445	
Particle characteristics Particle size	: Data not available	
Explosive properties	: Classification Code: Not classified	
Oxidizing properties	: Data not available	
Conductivity	: This material is not expected to be a s	static accumulator.

STABILITY AND REACTIVIT	Y
Reactivity	: The product does not pose any further reactivity hazards in addition to those listed in the following sub-paragraph.
Chemical stability	: Stable.
Possibility of hazardous reactions	: Reacts with strong oxidising agents.
Conditions to avoid	: Extremes of temperature and direct sunlight.
Incompatible materials	: Strong oxidising agents.
Hazardous decomposition products	: No decomposition if stored and applied as directed.

### **11. TOXICOLOGICAL INFORMATION**

the toxicology of similar products. Unless indicated otherwise, the data presented is	Basis for assessment	Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for
--	----------------------	---

### Acute toxicity

# **Shell Thermia Oil B**

Version 1.1	Revision Date 2024.07.12	Print Date 2024.11.04
Product:		
Acute oral toxicity	: LD50 rat: > 5,000 mg/kg	
	Remarks: Low toxicity Based on available data, the classif	ication criteria are not met
Acute inhalation toxicity	: LC 50 Rat: > 5 mg/l	
	Exposure time: 4 h	
	Remarks: Low toxicity by inhalation	
Acute dermal toxicity	: LD50 Rabbit: > 5,000 mg/kg Remarks: Low toxicity	
	Based on available data, the classif	ication criteria are not met.

### Skin corrosion/irritation

### Product:

Remarks: Not irritating to skin., Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.

### Serious eye damage/eye irritation

### Product:

Remarks: Not irritating to eye.

#### Respiratory or skin sensitisation

#### Product:

Remarks: Not a skin sensitiser. Based on available data, the classification criteria are not met.

### Germ cell mutagenicity

#### Product:

: Remarks: Non mutagenic, Based on available data, the classification criteria are not met.

### Carcinogenicity

#### Product:

Remarks: Not a carcinogen., Based on available data, the classification criteria are not met.

Remarks: Product contains mineral oils of types shown to be non-carcinogenic in animal skinpainting studies., Highly refined mineral oils are not classified as carcinogenic by the International Agency for Research on Cancer (IARC).

Material	GHS/CLP Carcinogenicity Classification
Highly refined mineral oil	No carcinogenicity classification.

# **Shell Thermia Oil B**

Version 1.1 Revision Date 2024.07.12 Print Date 2024.11.04

### **Reproductive toxicity**

**Product:** 

Remarks: Not a developmental toxicant., Does not impair fertility., Based on available data, the classification criteria are not met.

### STOT - single exposure

### Product:

Remarks: Based on available data, the classification criteria are not met.

### STOT - repeated exposure

### Product:

Remarks: Based on available data, the classification criteria are not met.

#### Aspiration toxicity

#### Product:

Not an aspiration hazard.

#### **Further information**

### Product:

Remarks: Used oils may contain harmful impurities that have accumulated during use. The concentration of such impurities will depend on use and they may present risks to health and the environment on disposal., ALL used oil should be handled with caution and skin contact avoided as far as possible.

Remarks: Slightly irritating to respiratory system.

12. ECOLOGICAL INFORMATION	
Basis for assessment	<ul> <li>Ecotoxicological data have not been determined specifically for this product.</li> <li>Information given is based on a knowledge of the components and the ecotoxicology of similar products.</li> <li>Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).</li> </ul>
Ecotoxicity	

Product:

# Shell Thermia Oil B

		Revision Date 2024.07.12	Print Date 2024.11.04
Toxicity to fish (Acute toxicity)	:	Remarks: LL/EL/IL50 > 100 mg/l Practically non toxic: Based on available data, the classi	fication criteria are not met
Toxicity to crustacean (Acute toxicity)	:	Remarks: LL/EL/IL50 > 100 mg/l Practically non toxic: Based on available data, the classi	fication criteria are not met
Toxicity to algae/aquatic plants (Acute toxicity)	:	Remarks: LL/EL/IL50 > 100 mg/l Practically non toxic: Based on available data, the classi	fication criteria are not met
Toxicity to fish (Chronic toxicity)	:	Remarks: Based on available data, are not met. NOEC/NOEL > 1 mg/l	, the classification criteria
Toxicity to crustacean (Chronic toxicity)	:	Remarks: Based on available data, are not met. NOEC/NOEL > 1 mg/l	, the classification criteria
Toxicity to microorganisms (Acute toxicity)	:	Remarks: Based on available data, are not met. Practically non toxic:	, the classification criteria
		LL/EL/IL50 > 100 mg/l	
ersistence and degradability		LL/EL/IL50 > 100 mg/I	
e <b>rsistence and degradability</b> <u>Product:</u> Biodegradability	:	LL/EL/IL50 > 100 mg/I Remarks: Major constituents are in contains components that may pers Persistent per IMO criteria., Interna Compensation (IOPC) Fund definit oil, which, at the time of shipment, fractions, (a) at least 50% of which temperature of 340°C (645°F) and by volume, distils at a temperature tested by the ASTM Method D-86/7 revision thereof."	sist in the environment., ational Oil Pollution ion: "A non-persistent oil is consists of hydrocarbon , by volume, distills at a (b) at least 95% of which, of 370°C (700°F) when
Product:	:	Remarks: Major constituents are in contains components that may per- Persistent per IMO criteria., Interna Compensation (IOPC) Fund definit oil, which, at the time of shipment, fractions, (a) at least 50% of which temperature of 340°C (645°F) and by volume, distils at a temperature tested by the ASTM Method D-86/7	sist in the environment., ational Oil Pollution ion: "A non-persistent oil is consists of hydrocarbon , by volume, distills at a (b) at least 95% of which, of 370°C (700°F) when
<u>Product:</u> Biodegradability	:	Remarks: Major constituents are in contains components that may per- Persistent per IMO criteria., Interna Compensation (IOPC) Fund definit oil, which, at the time of shipment, fractions, (a) at least 50% of which temperature of 340°C (645°F) and by volume, distils at a temperature tested by the ASTM Method D-86/7	sist in the environment., ational Oil Pollution ion: "A non-persistent oil is consists of hydrocarbon , by volume, distills at a (b) at least 95% of which, of 370°C (700°F) when
Product: Biodegradability oaccumulation	:	Remarks: Major constituents are in contains components that may per- Persistent per IMO criteria., Interna Compensation (IOPC) Fund definit oil, which, at the time of shipment, fractions, (a) at least 50% of which temperature of 340°C (645°F) and by volume, distils at a temperature tested by the ASTM Method D-86/7	sist in the environment., ational Oil Pollution ion: "A non-persistent oil is consists of hydrocarbon , by volume, distills at a (b) at least 95% of which, of 370°C (700°F) when 78 or any subsequent
Product: Biodegradability oaccumulation <u>Product:</u>	:	Remarks: Major constituents are in contains components that may per- Persistent per IMO criteria., Interna Compensation (IOPC) Fund definit oil, which, at the time of shipment, fractions, (a) at least 50% of which temperature of 340°C (645°F) and by volume, distils at a temperature tested by the ASTM Method D-86/7 revision thereof."	sist in the environment., ational Oil Pollution ion: "A non-persistent oil is consists of hydrocarbon , by volume, distills at a (b) at least 95% of which, of 370°C (700°F) when 78 or any subsequent
Product: Biodegradability oaccumulation Product: Bioaccumulation Partition coefficient: n-	:	Remarks: Major constituents are in contains components that may per- Persistent per IMO criteria., Interna Compensation (IOPC) Fund definit oil, which, at the time of shipment, fractions, (a) at least 50% of which temperature of 340°C (645°F) and by volume, distils at a temperature tested by the ASTM Method D-86/7 revision thereof." Remarks: Contains constituents wi bioaccumulate. log Pow: > 6Remarks: (based on in	sist in the environment., ational Oil Pollution ion: "A non-persistent oil is consists of hydrocarbon , by volume, distills at a (b) at least 95% of which, of 370°C (700°F) when 78 or any subsequent

# Shell Thermia Oil B

Varaian 1.1	Povision Data 2024 07 12	Print Date 2024.11.04		
Version 1.1 Mobility :	Revision Date 2024.07.12 Remarks: If it enters soil, it will adsorb t not be mobile. Remarks: Floats on water.			
Other adverse effects				
no data available <u>Product:</u>				
Additional ecological : information	Does not have ozone depletion potentia ozone creation potential or global warm is a mixture of non-volatile components released to air in any significant quantit conditions of use. Films formed on water may affect oxyge damage organisms., Causes physical fo organisms. Mineral oil does not cause chronic toxic organisms at concentrations less than f	ning potential., Product s, which will not be lies under normal en transfer and ouling of aquatic		
Hazardous to the ozone layer				

Not applicable

### **13. DISPOSAL CONSIDERATIONS**

Disposal methods	
Chemicals (residual waste) :	Recover or recycle if possible. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal methods in compliance with applicable regulations. Waste product should not be allowed to contaminate soil or ground water, or be disposed of into the environment. Do not dispose into the environment, in drains or in water courses. Do not dispose of tank water bottoms by allowing them to drain into the ground. This will result in soil and groundwater contamination. Waste arising from a spillage or tank cleaning should be disposed of in accordance with prevailing regulations, preferably to a recognised collector or contractor. The competence of the collector or contractor should be established beforehand.
	MARPOL - see International Convention for the Prevention of Pollution from Ships (MARPOL 73/78) which provides technical aspects at controlling pollutions from ships.
Contaminated containers and : packaging	Dispose in accordance with prevailing regulations, preferably to a recognized collector or contractor. The competence of the collector or contractor should be established beforehand. Disposal should be in accordance with applicable regional, national, and local laws and regulations.

# **Shell Thermia Oil B**

Version 1.1	Revision Date 2024.07.12	Print Date 2024.11.04
Local legislation Remarks	: Disposal should be in accordance national, and local laws and regula	

### 14. TRANSPORT INFORMATION

### Regulatory information when there are domestic regulations

Refer to section 15 for specific national regulation.

### **International Regulations**

ADR Not regulated as a dangerous good

IATA-DGR Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

### Maritime transport in bulk according to IMO instruments

MARPOL Annex 1 rules apply for bulk shipments by sea.

#### Special precautions for user

Remarks

: Special Precautions: Refer to Section 7, Handling & Storage, for special precautions which a user needs to be aware of or needs to comply with in connection with transport.

### 15. REGULATORY INFORMATION

#### **Related Regulations**

#### **Fire Service Law**

Group 4, Type 4 petroleums, (6000 litre), Hazardous rank III

#### **Chemical Substance Control Law**

Not applicable for Specified Chemical Substance, Monitoring Chemical Substance and Priority Assessment Chemical Substance.

#### Industrial Safety and Health Law

### Harmful Substances Prohibited from Manufacture

Not applicable

### Harmful Substances Required Permission for Manufacture

Not applicable

Substances Prevented From Impairment of Health

Not applicable

# Shell Thermia Oil B

Circular concerning I on Existing Chemical Not applicable	nformation on Chen	0 0	Print Date 2024.11.04 city - Annex 2: Information
on Notified Substanc			city - Annex 1: Information
Not applicable			
Substances Subject 1		6	
Article 57-2 (Enforcem Chemical name	ent Order Table 9)	Number	Concentration (%)
Mineral oil		168	100
Substances Subject (	o be Indicated Nam	25	
Article 57 (Enforcemer			
Chemical name			Number
Mineral oil			168
Ordinance on Preven	tion of Hazards Due	to Specified Chemical	Substances
Not applicable			
Ordinance on Preven	tion of Organic Solv	ent Poisoning	
Not applicable	tion of organic oon	cht i bischnig	
Not applicable			
Poisonous and Delet	erious Substances (	Control Law	
Not applicable Act on Confirmation,	etc. of Release Amo	ounts of Specific Chemi	
Not applicable Act on Confirmation,	etc. of Release Amo		
Not applicable Act on Confirmation, Environment and Pro	etc. of Release Amo	ounts of Specific Chemi	
Not applicable Act on Confirmation, Environment and Pro Not applicable Vessel Safety Law	etc. of Release Amo	ounts of Specific Chemi	
Not applicable Act on Confirmation, Environment and Pro Not applicable Vessel Safety Law Not applicable	etc. of Release Amo	ounts of Specific Chemi	
Not applicable Act on Confirmation, Environment and Pro Not applicable Vessel Safety Law Not applicable Aviation Law	etc. of Release Amo motion of Improven Sea Disaster Prever	ounts of Specific Chemi nents to the Manageme	
Not applicable Act on Confirmation, Environment and Pro- Not applicable Vessel Safety Law Not applicable Aviation Law Not applicable Marine Pollution and	etc. of Release Amo motion of Improven Sea Disaster Preven e pollutant	ounts of Specific Chemi nents to the Manageme	
Not applicable Act on Confirmation, Environment and Pro- Not applicable Vessel Safety Law Not applicable Aviation Law Not applicable Marine Pollution and Not classified as marine Water Pollution Cont	etc. of Release Amo motion of Improven Sea Disaster Prever e pollutant rol Law	ounts of Specific Chemi nents to the Managemen	
Not applicable Act on Confirmation, Environment and Pro- Not applicable Vessel Safety Law Not applicable Aviation Law Not applicable Marine Pollution and Not classified as marine Water Pollution Cont Oil emissions regulation	etc. of Release Amo motion of Improven Sea Disaster Prever e pollutant rol Law ns (Law Art. 2-5, Enfo	ounts of Specific Chemi nents to the Managemen ntion etc Law	
Not applicable Act on Confirmation, Environment and Pro- Not applicable Vessel Safety Law Not applicable Aviation Law Not applicable Marine Pollution and Not classified as marine Water Pollution Cont Oil emissions regulation Waste Disposal and Participation	etc. of Release Amo motion of Improven Sea Disaster Prever e pollutant rol Law ns (Law Art. 2-5, Enfo	ounts of Specific Chemi nents to the Managemen ntion etc Law	
Not applicable Act on Confirmation, Environment and Pro- Not applicable Vessel Safety Law Not applicable Aviation Law Not applicable Marine Pollution and Not classified as marine Water Pollution Cont Oil emissions regulation Waste Disposal and Pollution	etc. of Release Amo motion of Improven Sea Disaster Prever e pollutant rol Law ns (Law Art. 2-5, Enfo Public Cleansing Lav	ounts of Specific Chemi nents to the Managemen ntion etc Law procement Order Art. 3-4)	nt Thereof
Not applicable Act on Confirmation, Environment and Pro- Not applicable Vessel Safety Law Not applicable Aviation Law Not applicable Marine Pollution and Not classified as marine Water Pollution Cont Oil emissions regulation Waste Disposal and Pollution	etc. of Release Amo motion of Improven Sea Disaster Prever e pollutant rol Law ns (Law Art. 2-5, Enfo Public Cleansing Law his product are repo	ounts of Specific Chemi nents to the Managemen ntion etc Law	nt Thereof

### Shell Thermia Oil B

Version 1.1

Revision Date 2024.07.12

Print Date 2024.11.04

### **16. OTHER INFORMATION**

### **Abbreviations and Acronyms**

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC -New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG -Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative: WHMIS - Workplace Hazardous Materials Information System

### **Further information**

Training advice	:	Provide adequate information, instruction and training for operators.
Other information	:	A vertical bar ( ) in the left margin indicates an amendment from the previous version.
Sources of key data used to compile the Safety Data Sheet	:	The quoted data are from, but not limited to, one or more sources of information (e.g. toxicological data from Shell Health Services, material suppliers' data, CONCAWE, EU IUCLID date base, EC 1272 regulation, etc).

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a

# **Shell Thermia Oil B**

Version 1.1Revision Date 2024.07.12Print Date 2024.11.04guidance for safe handling, use, processing, storage, transportation, disposal and release and is<br/>not to be considered a warranty or quality specification. The information relates only to the<br/>specific material designated and may not be valid for such material used in combination with any<br/>other materials or in any process, unless specified in the text.Print Date 2024.11.04

JP / EN