## Shell Turbo S4 XJ 32

Version 1.1		Revision Date 2024.07.23	Print Date 2024.11.04		
1. PRODUCT AND COMPANY ID	1. PRODUCT AND COMPANY IDENTIFICATION				
Chemical product name	:	Shell Turbo S4 XJ 32			
Product code	:	001J6942			
Other means of identification	:	None			
Manufacturer or supplier's o	deta				
Supplier's company name, address and phone number	:	Shell Lubricants Japan K.K. Pacific Century Place Marunouchi 12F			
address and phone number		1-11-1, Marunouchi			
		Chiyoda-ku			
		Tokyo 100-6212			
Telephone		Japan (+81) 03-3218-1780			
Telefax	:	(+81) 03-3218-1781			
Emergency telephone	:	[Important notice for customer support]			
number		If you need support for product, please			
		service centre.	$\mathbf{C}$		
		Lub Customer Service Centre (Lub CS	,		
		Tel. 0120-064-315 / Fax. 0120-264-31	5 (JP TOIL free)		
		E-mail. Inquiries-Lubes-JP@shell.com (Available for Japanese office hours or	nly.)		
Contact for Safety Data	:	If you have any enquiries about the c	ontent of this SDS		
Sheet		please email lubricantSDS@shell.com	١		
Recommended use of the cl	hen	nical and restrictions on use			
Recommended use	:	Turbine oil.			
Restrictions on use					
	•	This substance may not be used for an	y purpose other than		
		recommended without expert advice			

### 2. HAZARDS IDENTIFICATION

#### **GHS classification of chemical product** Based on available data this substance / mixture does not meet the classification criteria.

GHS label elements	
Hazard pictograms	: No Hazard Symbol required
Signal word	: No signal word
Hazard statements	: PHYSICAL HAZARDS:

# Shell Turbo S4 XJ 32

Version 1.1	Revision Date 2024.07.23	Print Date 2024.11.04
	Not classified as a physical hazard u HEALTH HAZARDS:	nder GHS criteria.
	Not classified as a health hazard unc ENVIRONMENTAL HAZARDS:	ler GHS criteria.
	Not classified as an environmental ha	azard under GHS criteria.
Precautionary statements	:	
	Prevention:	
	No precautionary phrases.	
	Response:	
	No precautionary phrases.	
	Storage:	
	No precautionary phrases.	
	<b>Disposal:</b> No precautionary phrases.	

#### Other hazards which do not result in classification

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.Used oil may contain harmful impurities.Not classified as flammable but will burn.

: Fischer-Tropsch derived hydrocarbon base oil and additives.

#### **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

Chemical nature

: Mixture

Hazardous components

Substance name	CAS-No.	Classification	Concentration (% w/w)
Distillates (Fischer - Tropsch), heavy, C18- 50 – branched, cyclic and linear	848301-69-9	Asp. Tox.1; H304	28 - 33
Alkaryl amine	68411-46-1	Repr.2; H361f	0.1 - 0.9
(4- nonylphenoxy)acetic acid	3115-49-9	Acute Tox.4; H302 Skin Corr.1B; H314 Skin Sens.1A; H317 Aquatic Acute1; H400 Aquatic Chronic1; H410	0.01 - 0.09

## Shell Turbo S4 XJ 32

Version 1.1

Revision Date 2024.07.23

Print Date 2024.11.04

For explanation of abbreviations see section 16.

4. FIRST-AID MEASURES	
If inhaled	: No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.
In case of skin contact	<ul> <li>Remove contaminated clothing. Flush exposed area with water and follow by washing with soap if available.</li> <li>If persistent irritation occurs, obtain medical attention.</li> </ul>
In case of eye contact	<ul> <li>Flush eye with copious quantities of water.</li> <li>Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>If persistent irritation occurs, obtain medical attention.</li> </ul>
If swallowed	: In general no treatment is necessary unless large quantities are swallowed, however, get medical advice.
Most important symptoms and effects, both acute and delayed	<ul> <li>Oil acne/folliculitis signs and symptoms may include formation of black pustules and spots on the skin of exposed areas. Ingestion may result in nausea, vomiting and/or diarrhoea.</li> </ul>
Protection of first-aiders	: When administering first aid, ensure that you are wearing the appropriate personal protective equipment according to the incident, injury and surroundings.
Notes to physician	: Treat symptomatically.
5. FIRE-FIGHTING MEASURES	
Suitable extinguishing media	: Foam, water spray or fog. Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only

Suitable extinguishing media	:	Foam, water spray or fog. Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.
Unsuitable extinguishing media	:	Do not use water in a jet.
Specific hazards during firefighting	:	Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide may be evolved if incomplete combustion occurs. Unidentified organic and inorganic compounds.
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

# Shell Turbo S4 XJ 32

Version 1.1		Revision Date 2024.07.23	Print Date 2024.11.04
Special protective equipment for firefighters	:	Proper protective equipment includir gloves are to be worn; chemical resis large contact with spilled product is e Breathing Apparatus must be worn v a confined space. Select fire fighter's relevant Standards (e.g. Europe: EN	stant suit is indicated if expected. Self-Contained when approaching a fire in s clothing approved to
6. ACCIDENTAL RELEASE MEAS	SUF	RES	
Personal precautions, protective equipment and emergency procedures	:	Avoid contact with skin and eyes.	
Environmental precautions	:	Use appropriate containment to prev Prevent from spreading or entering or using sand, earth, or other appropria	drains, ditches or rivers by
		Local authorities should be advised i cannot be contained.	if significant spillages
Methods and materials for containment and cleaning up	:	Slippery when spilt. Avoid accidents Prevent from spreading by making a or other containment material. Reclaim liquid directly or in an absor Soak up residue with an absorbent s suitable material and dispose of prop	barrier with sand, earth bent. such as clay, sand or other
Additional advice	:	For guidance on selection of persona see Section 8 of this Safety Data Sh For guidance on disposal of spilled r this Safety Data Sheet.	eet.
7. HANDLING AND STORAGE			
Handling			
Technical measures	:	Use local exhaust ventilation if there vapours, mists or aerosols. Use the information in this data shee assessment of local circumstances t appropriate controls for safe handling this material.	et as input to a risk o help determine
Advice on safe handling	:	Avoid prolonged or repeated contact Avoid inhaling vapour and/or mists.	

materials in order to prevent fires.

When handling product in drums, safety footwear should be worn and proper handling equipment should be used. Properly dispose of any contaminated rags or cleaning

# Shell Turbo S4 XJ 32

\_

Version 1.1		Revision Date 2024.07.23	Print Date 2024.11.04
Describe contact avoidance, etc	:	Strong oxidising agents.	
Storage			
Other data	:	Keep container tightly closed and in a c place. Use properly labeled and closable cont	
		Store at ambient temperature.	
Packaging material	:	Suitable material: For containers or cor steel or high density polyethylene. Unsuitable material: PVC.	ntainer linings, use mild
Container Advice	:	Polyethylene containers should not be temperatures because of possible risk	

### 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Threshold limit value and permissible exposure limits for each component in the work
environment

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Oil mist, mineral	Not Assigned			JP OEL JSOH
	Further informa	ation: Group 1: c	arcinogenic to huma	ns
Oil mist, mineral	Not Assigned	OEL-M (Mist)	3 mg/m3	JP OEL JSOH
			e whose OEL is set ba e III, Group 1: carcine	
Oil mist, mineral	Not Assigned	TWA (Mist)	5 mg/m3	OSHA Z-1
Oil mist, mineral	Not Assigned	TWA (Inhalable particulate matter)	5 mg/m3	ACGIH

### **Biological occupational exposure limits**

No biological limit allocated.

#### **Monitoring Methods**

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate. Validated exposure measurement methods should be applied by a competent person and samples analysed by an accredited laboratory.

Examples of sources of recommended exposure measurement methods are given below or contact the supplier. Further national methods may be available.

# Shell Turbo S4 XJ 32

sion 1.1	Revision Date 2024.07.23	Print Date 2024.11.0
	onal Safety and Health (NIOSH), USA: N	Manual of Analytical Method
http://www.cdc.gov/niosh/	alth Administration (OSHA), USA: Sampl	ing and Analytical Methods
http://www.osha.gov/	aun Administration (OSHA), OSA. Sampi	ing and Analytical Methods
	(HSE), UK: Methods for the Determination	on of Hazardous Substanc
http://www.hse.gov.uk/		
Institut für Arbeitsschutz Deut http://www.dguv.de/inhalt/inde	tschen Gesetzlichen Unfallversicherung	(IFA), Germany
	che et de Securité, (INRS), France http://	/www.inrs.fr/accueil
労働者の健康障害を防止するた	め化学物質の濃度基準値とその適用方法な	どを定めました (mhlw.go.jp)
Engineering measures	: The level of protection and types o	f controls necessary will
	vary depending upon potential exp	osure conditions. Select
	controls based on a risk assessme	nt of local circumstances.
	Appropriate measures include: Adequate ventilation to control airb	orne concentrations
	Where material is heated, sprayed	
	greater potential for airborne conce	entrations to be generated.
	General Information:	
	Define procedures for safe handlin	g and maintenance of
	controls. Educate and train workers in the h	azards and control
	measures relevant to normal activi	
	product.	
	Ensure appropriate selection, testi	
	equipment used to control exposur equipment, local exhaust ventilatio	
	Drain down system prior to equipm	
	maintenance.	
	Retain drain downs in sealed stora	ge pending disposal or
	subsequent recycle. Always observe good personal hyg	iene measures, such as
	washing hands after handling the r	
	drinking, and/or smoking. Routine	
	protective equipment to remove co contaminated clothing and footwea	
	Practice good housekeeping.	a that cannot be cleaned.
<b>B</b>		
Personal protective equipm	ient	
Protective measures		

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

Respiratory protection	:	No respiratory protection is ordinarily required under normal conditions of use. In accordance with good industrial hygiene practices, precautions should be taken to avoid breathing of material. If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker
		· ·

sion 1.1	Revision Date 2024.07.23 Print Date 2024.11
	health, select respiratory protection equipment suitable for t specific conditions of use and meeting relevant legislation. Check with respiratory protective equipment suppliers. Where air-filtering respirators are suitable, select an appropriate combination of mask and filter. Select a filter suitable for the combination of organic gases and vapours and particles [Type A/Type P boiling point >65 (149°F)].
Hand protection	
Remarks	: Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374 US: F739) made from the following materials may provide suitable chemical protection. PVC, neoprene or nitrile rubbe gloves Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective has care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturizer is recommended.
	For continuous contact we recommend gloves with breakthrough time of more than 240 minutes with preference for > 480 minutes where suitable gloves can be identified. F short-term/splash protection we recommend the same but recognize that suitable gloves offering this level of protection may not be available and in this case a lower breakthrough time maybe acceptable so long as appropriate maintenance and replacement regimes are followed. Glove thickness is n a good predictor of glove resistance to a chemical as it is dependent on the exact composition of the glove material. Glove thickness should be typically greater than 0.35 mm depending on the glove make and model.
Eye and face protection	: If material is handled such that it could be splashed into eye protective eyewear is recommended.
Skin and body protection	<ul> <li>Skin protection is not ordinarily required beyond standard work clothes.</li> <li>It is good practice to wear chemical resistant gloves.</li> </ul>
Thermal hazards	: Not applicable
Environmental exposure c	ontrols
General advice	: Take appropriate measures to fulfill the requirements of relevant environmental protection legislation. Avoid contamination of the environment by following advice given Section 6. If necessary, prevent undissolved material from being discharged to waste water. Waste water should be treated in a municipal or industrial waste water treatment pla

Version 1.1	Revision Date 2024.07.23 Print Date 2024.11.04
	before discharge to surface water. Local guidelines on emission limits for volatile substances must be observed for the discharge of exhaust air containing vapour.
9. PHYSICAL AND CHEMICAL P	ROPERTIES
Physical state	: Liquid at room temperature.
Colour	: Colourless to pale amber
Odour	: Data not available
Odour Threshold	: Data not available
рН	: Not applicable
pour point	: -33 °C / -27 °F Method: ISO 3016
Melting / freezing point	Data not available
Boiling point, initial boiling point and boiling range	: > 280 °C / 536 °Festimated value(s)
Flash point	: 250 °C / 482 °F Method: ISO 2592
	258 °C / 496 °F Method: ASTM D92 (COC)
Evaporation rate	: Data not available
Flammability	
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: Not classified as flammable but will burn.
Lower explosion limit and upp	per explosion limit / flammability limit
Upper explosion limit	: Typical 10 %(V)
Lower explosion limit	: Typical 1 %(V)
Vapour pressure	: < 0.5 Pa (20 °C / 68 °F) estimated value(s)
Relative vapour density	: >5
Density and / or relative dens	ity
Density	: 827 kg/m3 (15.0 °C / 59.0 °F) Method: ISO 12185

# Shell Turbo S4 XJ 32

Version 1.1	Revision Date 2024.07.23	Print Date 2024.11.04
Solubility(ies)		
Water solubility	: negligible	
Solubility in other solvents	: Data not available	
Partition coefficient: n- octanol/water	: log Pow: > 6 (based on information on similar pro	oducts)
Auto-ignition point	: > 320 °C / 608 °F	
Decomposition temperature	: Data not available	
Viscosity		
Viscosity (Dynamic)	: Data not available	
Viscosity, kinematic	: 32 mm2/s (40.0 °C / 104.0 °F) Method: ISO 3104	
Particle characteristics Particle size	: Data not available	
Explosive properties	: Classification Code: Not classified	
Oxidizing properties	: Data not available	
Conductivity	: This material is not expected to be	a static accumulator.

### **10. STABILITY AND REACTIVITY**

Reactivity	: The product does not pose any further reactivity hazards in addition to those listed in the following sub-paragraph.
Chemical stability	: Stable.
Possibility of hazardous reactions	: Reacts with strong oxidising agents.
Conditions to avoid	: Extremes of temperature and direct sunlight.
Incompatible materials	: Strong oxidising agents.
Hazardous decomposition products	: No decomposition if stored and applied as directed.

### **11. TOXICOLOGICAL INFORMATION**

## Shell Turbo S4 XJ 32

Version 1.1 Basis for assessment	:	Revision Date 2024.07.23Print Date 2024.11.04: Information given is based on data on the components and the toxicology of similar products.Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).	
Information on likely routes of exposure	:	Skin and eye contact are the primary ro although exposure may occur following	
Acute toxicity			
Product:			
Acute oral toxicity	:	LD50 rat: > 5,000 mg/kg Remarks: Low toxicity Based on available data, the classificat	tion criteria are not met.
Acute inhalation toxicity	:	Remarks: Based on available data, the are not met.	classification criteria
Acute dermal toxicity	:	LD50 Rabbit: > 5,000 mg/kg Remarks: Low toxicity Based on available data, the classificat	tion criteria are not met.

#### Skin corrosion/irritation

#### Product:

Remarks: Slightly irritating to skin., Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis., Based on available data, the classification criteria are not met.

#### Serious eye damage/eye irritation

#### Product:

Remarks: Slightly irritating to the eye., Based on available data, the classification criteria are not met.

#### Respiratory or skin sensitisation

#### Product:

Remarks: Not a skin sensitiser. Based on available data, the classification criteria are not met.

#### **Components:**

#### (4-nonylphenoxy)acetic acid:

Remarks: May cause an allergic skin reaction in sensitive individuals.

#### Germ cell mutagenicity

#### Product:

: Remarks: Non mutagenic, Based on available data, the classification criteria are not met.

### Shell Turbo S4 XJ 32

Version 1.1	Revision Date 2024.07.23	Print Date 2024.11.04

### Carcinogenicity

#### Product:

Remarks: Not a carcinogen., Based on available data, the classification criteria are not met.

Material	GHS/CLP Carcinogenicity Classification
Highly refined mineral oil	No carcinogenicity classification.

#### Reproductive toxicity

#### Product:

Remarks: Not a developmental toxicant., Does not impair fertility., Based on available data, the classification criteria are not met.

#### STOT - single exposure

#### Product:

Remarks: Based on available data, the classification criteria are not met.

2

#### **STOT - repeated exposure**

#### Product:

Remarks: Based on available data, the classification criteria are not met.

#### Aspiration toxicity

#### Product:

Not an aspiration hazard.

#### **Further information**

#### Product:

Remarks: Used oils may contain harmful impurities that have accumulated during use. The concentration of such impurities will depend on use and they may present risks to health and the environment on disposal., ALL used oil should be handled with caution and skin contact avoided as far as possible.

Remarks: Slightly irritating to respiratory system.

### **12. ECOLOGICAL INFORMATION**

Version 1.1		Revision Date 2024.07.23 Print Date 2024.11.04
Basis for assessment	:	Ecotoxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the ecotoxicology of similar products. Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).
Ecotoxicity		
Product:		
Toxicity to fish (Acute toxicity)	:	Remarks: Based on available data, the classification criteria are not met. Practically non toxic: LL/EL/IL50 > 100 mg/I
Toxicity to crustacean (Acute toxicity)	:	Remarks: Based on available data, the classification criteria are not met. Practically non toxic: LL/EL/IL50 > 100 mg/I
Toxicity to algae/aquatic plants (Acute toxicity)	:	Remarks: Based on available data, the classification criteria are not met. Practically non toxic: LL/EL/IL50 > 100 mg/l
Toxicity to fish (Chronic toxicity)	:	Remarks: Based on available data, the classification criteria are not met.
Toxicity to crustacean (Chronic toxicity)	:	Remarks: Based on available data, the classification criteria are not met.
Toxicity to microorganisms (Acute toxicity)	:	Remarks: Based on available data, the classification criteria are not met.
<u>Components:</u> (4-nonylphenoxy)acetic acid :	:	
M-Factor (Short-term (acute) aquatic hazard)	:	1
Persistence and degradability		
Product:		
Biodegradability	:	Remarks: Not readily biodegradable., Major constituents are inherently biodegradable, but contains components that may persist in the environment., Persistent per IMO criteria., International Oil Pollution Compensation (IOPC) Fund definition: "A non-persistent oil is oil, which, at the time of shipment, consists of hydrocarbon fractions, (a) at least 50% of which, by volume, distills at a temperature of 340°C (645°F) and (b) at least 95% of which, by volume, distils at a

# Shell Turbo S4 XJ 32

Version 1.1	Revision Date 2024.07.23	Print Date 2024.11.04	
	temperature of 370°C (700°F) when tested by the ASTM Method D-86/78 or any subsequent revision thereof."		
Bioaccumulation			
Product:			
Bioaccumulation	: Remarks: Contains components bioaccumulate.	with the potential to	
Partition coefficient: n- octanol/water	: log Pow: > 6Remarks: (based or products)	<ul> <li>log Pow: &gt; 6Remarks: (based on information on similar products)</li> </ul>	
Mobility in soil			
Product:			
Mobility	<ul> <li>Remarks: Liquid under most env enters soil, it will adsorb to soil p mobile.</li> <li>Remarks: Floats on water.</li> </ul>		
Other adverse effects			
no data available <u>Product:</u>			
Additional ecological information	<ul> <li>Does not have ozone depletion p ozone creation potential or globa is a mixture of non-volatile comp released to air in any significant conditions of use.</li> <li>Poorly soluble mixture., Causes organisms.</li> </ul>	al warming potential., Product onents, which will not be quantities under normal	
Hazardous to the ozone layer			
Not applicable			
13. DISPOSAL CONSIDERATION	S		
Disposal methods			
Chemicals (residual waste)	: Recover or recycle if possible. It is the responsibility of the wast toxicity and physical properties of determine the proper waste clas methods in compliance with app Waste product should not be allo ground water, or be disposed of Do not dispose into the environm	of the material generated to sification and disposal licable regulations. owed to contaminate soil or into the environment.	

courses. Do not dispose of tank water bottoms by allowing them to drain into the ground. This will result in soil and groundwater contamination.

Waste arising from a spillage or tank cleaning should be disposed of in accordance with prevailing regulations, preferably to a recognised collector or contractor. The

# Shell Turbo S4 XJ 32

Version 1.1	Revision Date 2024.07.23	Print Date 2024.11.04
	competence of the collector or contractor should be established beforehand.	
	MARPOL - see International Conven Pollution from Ships (MARPOL 73/78 technical aspects at controlling pollut	8) which provides
Contaminated containers and spackaging	Dispose in accordance with prevailin to a recognized collector or contractor the collector or contractor should be Disposal should be in accordance win national, and local laws and regulation	or. The competence of established beforehand. th applicable regional,
Local legislation Remarks	Disposal should be in accordance wi national, and local laws and regulation	

#### **14. TRANSPORT INFORMATION**

#### Regulatory information when there are domestic regulations

Refer to section 15 for specific national regulation.

#### **International Regulations**

ADR Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

#### Maritime transport in bulk according to IMO instruments

MARPOL Annex 1 rules apply for bulk shipments by sea.

#### Special precautions for user

Remarks

: Special Precautions: Refer to Section 7, Handling & Storage, for special precautions which a user needs to be aware of or needs to comply with in connection with transport.

#### **15. REGULATORY INFORMATION**

#### **Related Regulations**

#### Fire Service Law

Not dangerous good Designated Flam. Subs, Flammable liquid, (2 cubic metre)

Chemical Substance Contro		
Monitoring Chemical Substan	се	Number
2,2',6,6'-Tetra-tert-butyl-4,4'-	methylenediphenol	28
Industrial Safety and Health	· ·	
Harmful Substances Prohib	ited from Manufacture	
Not applicable		
Harmful Substances Requir	ed Permission for Manufacture	
Not applicable		
Substances Prevented Fror	n Impairment of Health	
Not applicable	•	
Circular concerning Inform	ation on Chemicals having Mutage	nicity - Annex 2: Informatio
on Existing Chemicals havi		•
Not applicable		
on Notified Substances hav	ation on Chemicals having Mutage ing Mutagenicity	nicity - Annex 1: Informatio
Not applicable		
Substances Subject to be N	lotified Names	
Not applicable		
Substances Subject to be In	ndicated Names	
Not applicable		
Ordinance on Prevention of	Hazards Due to Specified Chemica	al Substances
Not applicable		
Ordinance on Prevention of	Organic Solvent Poisoning	
Not applicable		
Enforcement Order of the Ir Substances)	ndustrial Safety and Health Law - A	ttached table 1 (Dangerous
Not applicable		
Poisonous and Deleterious	Substances Control Law	
Not applicable		
	Release Amounts of Specific Che	
	n of Improvements to the Managem	nent Thereof
Not applicable		
Vessel Safety Law		
Not applicable		
Aviation Law		
Not applicable		
Marine Pollution and Sea D		
Not classified as marine pollu		
Water Pollution Control Law	V	

# Shell Turbo S4 XJ 32

Version 1.1		Revision Date 2024.07.23	Print Date 2024.11.04		
Waste Disposal and Public	Waste Disposal and Public Cleansing Law				
Industrial waste					
The components of this product are reported in the following inventories:					
TSCA	:	All components listed.			
ENCS	:	All components listed.			

### **16. OTHER INFORMATION**

#### Full text of H-Statements

H302	Harmful if swallowed.			
H304	May be fatal if swallowed and enters airways.			
H314	Causes severe skin burns and eye damage.			
H317	May cause an allergic skin reaction.			
H361f	Suspected of damaging fertility. (Causing atrophy of the testes)			
H400	Very toxic to aquatic life.			
H410	Very toxic to aquatic life with long lasting effects.			
Full text of other abbreviations				
Acute Tox.	Acute toxicity			
Aquatic Acute	Short-term (acute) aquatic hazard			

Acute TOX.	Acute toxicity	
Aquatic Acute	Short-term (acute) aquatic hazard	
Aquatic Chronic	Long-term (chronic) aquatic hazarc	
Asp. Tox.	Aspiration hazard	
Repr.	Reproductive toxicity	
Skin Corr.	Skin corrosion	
Skin Sens.	Skin sensitisation	

#### Abbreviations and Acronyms

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC -New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical

# Shell Turbo S4 XJ 32

Version 1.1	Revision Date 2024.07.23	Print Date 2024.11.04		
Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System				
Further information				
Training advice	: Provide adequate information, in operators.	struction and training for		
Other information	: A vertical bar ( ) in the left margir from the previous version.	i indicates an amendment		
Sources of key data used to compile the Safety Data	: The quoted data are from, but no sources of information (e.g. toxic	ological data from Shell		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Health Services, material suppliers' data, CONCAWE, EU

IUCLID date base, EC 1272 regulation, etc).

JP / EN

Sheet